

# Processes

- A *process* is a program in execution
- Synonyms include *job*, *task*, and *unit of work*
- Not surprisingly, then, the parts of a process are precisely the parts of a running program:
  - ◆ Program code, sometimes called the *text section*
  - ◆ *Program counter* (where we are in the code) and other *registers* (data that CPU instructions can touch directly)
  - ◆ *Stack* — for subroutines and their accompanying data
  - ◆ *Data section* — for statically-allocated entities
  - ◆ *Heap* — for dynamically-allocated entities

# Process States

- Five states in general, with specific operating systems applying their own terminology and some using a finer level of granularity:
  - ◆ *New* — process is being created
  - ◆ *Running* — CPU is executing the process's instructions
  - ◆ *Waiting* — process is, well, waiting for an event, typically I/O or signal
  - ◆ *Ready* — process is waiting for a processor
  - ◆ *Terminated* — process is done running
- See the text for a general state diagram of how a process moves from one state to another

# The Process Control Block (PCB)

- Central data structure for representing a process, a.k.a. *task control block*
- Consists of any information that varies from process to process: process state, program counter, registers, scheduling information, memory management information, accounting information, I/O status
- The operating system maintains collections of PCBs to track current processes (typically as linked lists)
- System state is saved/loaded to/from PCBs as the CPU goes from process to process; this is called...

## The Context Switch

- *Context switch* is the technical term for the act of changing the currently running process — the aforementioned saving/loading of PCB data
- When a process must exit the *running* state (interrupt, I/O request, time slice expiration, etc.), a *save state* operation updates its PCB
- A *state restore* operation reads the PCB of the next running process into the system
- Textbook case of *overhead*: context switch does take time, but ultimately doesn't do any "real" work

# Scheduling Queues

- Only one running process per CPU — part of an operating system's core tasks is to decide which process is “the one”...and the next one, and the next
- To assist in making these decisions, multiple *scheduling queues* exist — linked lists of PCBs — that correspond to the process state (thus, events that trigger state changes have corresponding queue changes)
  - ◆ *Job queue*: all processes in the system
  - ◆ *Ready queue*: processes that are waiting for a CPU
  - ◆ *Device queues*: one per I/O device, containing processes that are waiting for that device

## Types of Schedulers

- Batch systems are unable to immediately run every single process submitted to it; these are *spooled* to secondary storage to await execution — deciding the next job to run from this pool is *long-term scheduling*
- Deciding among jobs already in memory for processing by the CPU is *short-term* or *CPU scheduling*
- Most systems today have a very high *degree of multiprogramming*, and so have no long-term scheduling at all; *time-sharing* results when the short-term scheduler enforces rapid switching among processes

# Process Creation and Termination

- All processes have a unique identifier — the *process identifier* or *pid* for short
- The boot sequence typically leads to process 0, whose name varies according to the operating system; all other processes are created by this one
- Thus, all processes (except process 0 of course) also have a parent process ID (*ppid*)
- Parents may terminate their children, or processes may end/terminate on their own

## APIs for Process Creation and Termination

Programming specifics for process creation and termination vary per OS, but they generally consist of:

- Function to create a new (child) process — this returns information about the child to the parent
- Function to wait for a child to finish or to continue execution concurrently
- Function to load a program (executable) for execution
- Function to end execution (willingly — we will discuss external termination later)

# Interprocess Communication

- Processes aren't isolated from each other — if desired, they can communicate, and facilitating interprocess communication (IPC) is another fundamental operating system service
- Two overall models:
  - ◊ *Shared memory* — processes are allowed to read/write a section of memory
  - ◊ *Message passing* — processes send information blocks (*messages*) to each other

## IPC Issues

Things to consider when designing or implementing an IPC scheme:

- Buffer sizes (shared memory blocks, message passing queues) — *unbounded* or *bounded*
- Naming of message passing sources/destinations — *direct* (PID) or *indirect* (intervening abstractions, such as *mailboxes* or *ports*)
- The big one: *synchronization* — how to coordinate reads/writes to shared memory; should message passing be *blocking* or *nonblocking*

# IPC Across Machines

Modern operating systems allow IPC across different hosts; because we cross machine boundaries, these methods follow the message passing model

- *Sockets*: communicate via machine address and port numbers; as the Internet evolved, *well-known ports* have been reserved for certain protocols
- *Remote procedure call (RPC)*: instead of raw bytes, communication resembles (duh) a procedure call
- *Remote method invocation (RMI)*: object-oriented RPC — objects are accessible over the network

## RPC/RMI Mechanics

- Because we cross machine boundaries, RPC is semantically a *pass-by-value* call — data is necessarily copied over the network
- The translation of RPC arguments into a network message then back into arguments on the remote host has a specific term — *marshalling*
- RMI adds the notion of a *remote object* — the ability to hold a reference to an object on another machine; with remote objects, we are able to do a limited form of *pass-by-reference*, but on other remote objects only

# Managing Processes from the Unix Command Line

- *bash* (along with many other shells) has a number of built-in process-related features:
  - ◇ Appending commands with an ampersand (**&**) runs that command concurrently with the shell (otherwise, the shell waits for the command to finish)
  - ◇ Multiple commands can be run in sequence by separating them with semicolons (**;**)
  - ◇ When multiple programs are running within a shell, *fg*, *bg*, and *jobs* help to examine and manage them
  
- Not surprisingly, *man -k process* yields a lot of “hits” on typical Unix distributions; here are some essentials:
  - ◇ *ps*, or *process status*, is the one-stop shot for listing currently-running processes
  - ◇ *kill* sends signals to or forcibly terminates processes
  - ◇ *top* provides a sorted/updated display of processes
  - ◇ *time* runs another program and displays timing statistics for that program
  
- Piping *ps* through *grep* filters *ps*'s output by process attributes such as user, program name, status, etc. — this combination is virtually all you need for querying or focusing on specific process information