

# Object Orientation

- Progression of data abstraction/encapsulation so far:
  - ◆ Global variables — always visible, all the time
  - ◆ Local variables — limited lifetime and visibility
  - ◆ Nested scopes — local subroutines *and* variables
  - ◆ Modules — first as manager, then as type
- Take module-as-type, then add:
  - ◆ *Inheritance* — incremental refinement or extension of existing abstractions
  - ◆ *Dynamic method binding* — new behavior in a context that expects an earlier version
  - ◆ *Classes and objects* — families of related abstractions, and the ability to create *instances* belonging to that family
- ...and you get an *object-oriented* programming paradigm

## Brief History

- The three key object-oriented programming concepts of *encapsulation*, *inheritance*, and *dynamic method binding* first appeared in Simula, mid-1960s
- Simula's data hiding was improved upon with Clu, Modula, Euclid, etc. in the 1970s
- Inheritance and dynamic method binding were refined into a *message-based* model with Smalltalk, also 1970s
- Object-orientation stayed relatively dormant until the 1990s, with C++, Eiffel, Objective-C, Ada 95, and ultimately Java, C#, Python, Ruby

# Programming Elements

- Three key benefits to data abstraction:
  - ◆ Reduce *conceptual load* — less things to think about at any given time
  - ◆ Provides *fault containment* — limits the context in which code may run or be applicable
  - ◆ *Independence* among components — ability to modify internals without affecting externals
- The “as-is” rule of software reuse — if you can’t use code *as-is*, then you can’t [won’t] reuse it
- In many ways, object-oriented programming seeks to facilitate code reuse by allowing extension and/or refinement of existing abstractions, without having to dig into those abstractions

## Terminology Check

- Object-oriented languages uniformly use *classes* for their abstractions, with *objects* representing individual *instances* of a class
- Within a class, terminology sometimes diverges:

data member	field, instance variable
subroutine member	method, member function
current object within subroutine code	<i>self, this, current</i>
class derived from an existing one	derived class, child class, subclass
class from which derivation is made	base class, parent class, superclass
“top-level” class	<i>Object, ANY</i>

# More Terms

- *Constructor* — programmer-specified initialization code
- *Destructor* — programmer-specified clean-up, deallocation code; not available in all languages
- *Public* and *private* designations — object-oriented equivalent of module export
- *Overriding* or *redefining* — new code in a subclass for a method that also exists in the superclass; languages provide a mechanism for accessing elements of the superclass (*super*, *base*, *superclass\_name::*)

# Encapsulation

- Originated with module-based languages in the 1970s
- Euclid introduced *closed scopes* — explicitly stating the names that other code may see — and *opaque types* — types that are known in external code by name only
- The only thing you could do with instances of opaque types was pass them into the subroutines defined by the modules: *push(stack, value)* or *value = pop(stack)*
- Opaque types then evolved into today's “objects” — *stack.push(value)*, *value = stack.pop()*, where *stack* is implicitly passed by reference as a *this* variable

# Encapsulation When Inheritance is Involved

Additional rules needed with inheritance/subclasses

- What can a subclass see from its superclass?
- Can a subclass modify the visibility of members to something different from the superclass? (C++, yes; Java & C#, no)
- New level of visibility: *protected* — visibility only to some well-defined subset, such as derived classes (or packages, in Java's case)
- What is the default visibility when no keyword is given?

## Initialization

- As mentioned previously, object-oriented languages introduce a special type of subroutine, called a *constructor*, that takes care of initializing new objects
- Code within a constructor is responsible for populating a new object's members, *not* for allocating space for the object itself
- More than one constructor is typically supported, to accommodate different valid initialization arguments
- Some languages also provide a *destructor*, for *finalizing* an object at the end of its lifetime

# Choosing Among Constructors

- C++, Java, C#: constructors have the same name as their classes, and are distinguished by their signatures (i.e., number and types of formal parameters)
- Different constructor names Smalltalk and Eiffel: in Smalltalk, a constructor looks like a static Java method

	Java Constructor	Java Static Method	Smalltalk Constructor
“Date for today”	public Date()	public static Date getToday()	Date today
“Date with a given year, month, and day”	public Date(int y, int m, int d)	public static Date getDate(int y, int m, int d)	Date withYear: month: day
“Date for yesterday”	public Date(int delta) ( <i>hmm...</i> )	public static Date getYesterday()	Date yesterday

## Reference vs. Value Variables

- Reference model enforces explicit creation of objects, and therefore explicit calling of constructors
- Value model raises the issue of implicit constructors:  

```
ValueModelClass vmc; // With value model, vmc should already be an object.
```
- C++ approach: direct declaration calls the zero-argument constructor implicitly; additional syntax provided for calling other constructors
- General rule of thumb: reference model typically works better for objects, but require heap allocation and additional indirection with every access

# Constructor Execution Order

- Issue arises with derived classes: typically, a derived class constructor implicitly calls its base class constructor(s) first, from the generic to specific
- But, since each class can have multiple constructors, which superclass constructor is invoked?
  - ◆ C++: can specify base class constructor call and/or member variable initial values
  - ◆ Java: *super(args)* call as first line of constructor invokes the given superclass constructor

# Garbage Collection

- Object orientation doesn't immediately imply automatic garbage collection — case-in-point, C++
- Corresponds to need for explicit *destructor* — when an object's lifetime ends, the destructor allows it to deallocate storage that it was using
- Automatic garbage collection eliminates (or at least severely reduces) the need for destructors, since a reclaimed object's children will eventually be hit by the automated garbage collector anyway

# Dynamic Method Binding

- If a class  $D$  is derived from a class  $C$ , then  $D$  has all of the members of  $C$ , and therefore  $D$  should be usable anywhere that  $C$  is usable:

```
C object1, object2;  
object1 = new C();  
object2 = new D();  
object2.anyMethodThatCHas();  
object1.methodThatExpectsArgumentOfTypeC(object2);  
// ...etc.
```

- The ability to use a subclass in a context that expects its superclass is called *subtype polymorphism*

- But what if  $D$  overrides or redefines some method  $m$  in  $C$  — when  $m$  is called, which version is used?
  - ◆ If we use the version corresponding to the variable's declared type, then we have *static method binding*
  - ◆ If we use the version corresponding to the variable's actual object, then we have *dynamic method binding*
- Dynamic method binding is central to object-oriented programming — otherwise, why bother with inheritance and method overrides?
  - ◆ Particularly important if a subclass's version of a method has code that specifically maintains internals
  - ◆ Imposes run-time overhead; one early reason for complaints that object-orientation was slow

# Accommodating Both Binding Methods (or not)

- Smalltalk, Objective-C, Modula-3, Python, Ruby: dynamic method binding all the time
- Java, Eiffel: dynamic method binding by default, can be optimized by disallowing overrides (*final* or *frozen*, respectively) — net result is elimination or reduction of runtime overhead
- Simula, C++, C#: static method binding by default; can change to dynamic by designating a method as *virtual*

## Abstract Methods & Classes

- An *abstract method* is one for which no body is given
  - ◇ Java, C#: use *abstract* keyword in method declaration
  - ◇ C++: “assign” a subroutine to zero; C++-specific terminology is *pure virtual* method
- An *abstract class* if it has at least one abstract method
- A *concrete class* is a subclass of an abstract class that provides a body for every abstract method it inherits
- Abstract methods and classes help define generic behaviors that do not have a specific implementation at the level of the superclass (e.g., *shape.draw()* )

# Dynamic Method Binding Implementation

- Static method binding means that the specific subroutine code to be invoked is known at compile time, and so can be referenced directly; not so for dynamic method binding
- Common implementation approach: accompany objects with a *virtual method table* that lists the addresses of its methods; objects of a derived class overwrite the addresses of methods that are overridden by that class
- Dynamic method call thus uses an additional lookup

## Dynamic Method Binding and Variable Types

- Typed variables allow some static verification of code: a given variable  $v$  will be enforced to “at least” have class with which it was declared
  - ◇ Class casting is still typically allowed, but requires dynamic checks
  - ◇ For backward compatibility, C++ accommodates unchecked casts...caveat coder
- Untyped variables (Smalltalk, CLOS, Objective-C) make all checks dynamic: a method call requires a runtime lookup on the object currently assigned to a variable
  - ◇ Smalltalk uses a *messaging model* for subroutine invocations: method calls “send a message” to the object, and non-existent methods result in a “message not understood” error

# The Fragile Base Class Problem

- Runtime subroutine/method lookup avoids the *fragile base class problem* — what if you are running code that expects a different version of some class than is available on the system?
  - ◊ It can happen, particularly in Java: multiple versions of Java, portability of class code
- Runtime lookups trigger better error reporting, akin to “method not understood” in messaging models
- Static references may access invalid memory locations

## Generics and Closures in Object-Oriented Languages

- Note that dynamic method binding does not eliminate the usefulness of generics in a language
- Generics implement *parametric polymorphism* — it defines code that can be used in common among unrelated types
- Dynamic method binding offers an alternative to closures — define a class with the desired subroutine, and call that subroutine off its instances
  - ◊ Class approach can embed information beyond a subroutine’s formal parameters
  - ◊ But, tends to be more verbose (e.g., Java’s *Runnable*)

# Multiple Inheritance

- Conceptually simple: allow a derived class to inherit from more than one base class; the derived class acquires the union of the members of the base classes
- But the devil is in the details...
  - ◆ What if two superclasses have a method with the same name?
  - ◆ What if two superclasses in turn have a common superclass — does the “grandchild” class have two copies of the shared members?
- Multiple inheritance involving a common “grandparent” class is called *repeated inheritance*
  - ◆ Repeated inheritance resulting in multiple copies of grandparent members in the “grandchild” is called *replicated inheritance* — default in C++
  - ◆ Repeated inheritance with one copy of grandparent members is called *shared inheritance* — default in Eiffel
- Simula, Smalltalk, Objective-C, Modula-3, Ada 95, Oberon: single inheritance only
- Java, C#, Ruby: define an *interface* class that declares methods only; “multiple inheritance” occurs by allowing only one *class* parent but any number of *interfaces* (a “best-of-both-worlds” solution)
- C++, CLOS, Python, Eiffel: multiple inheritance, with specific variations

# “Object-Orientation” in Perl

Perl gained object-oriented characteristics in version 5

- “Classes” are Perl packages
- “Methods” are subroutines within those packages
- Three new constructs:
  1. A “method operator” (`->`) implicitly passes the package as an argument
  2. A reserved `@ISA` array lists the “superclasses” of a package (i.e., other packages)
  3. A *bless* operator “binds” a package (class) to a variable, giving that variable semantics similar to an instance in terms of the package’s (class’s) subroutines (methods)
- Is this a case of “forcing a feature?” Discuss...

## Objects in JavaScript

- JavaScript objects are *prototype-based*, and not *class-based* — there is *one* Object type, and as you know, Objects may have any number/name/type of properties
- Preceding a function invocation with *new* creates a new object and passes it into the function as *this*; the function can then assign *this*’s properties and return it
- Methods use the constructor’s special *prototype* property — the constructor passes *prototype* to *this*
- JavaScript’s approach makes inheritance as we know it somewhat unwieldy — it’s actually a different paradigm